

ATRO

ENGINEERED SYSTEMS

JULY 2022 NEW PRODUCT GUIDE

800.325.6114 • ATROBUSHING.COM



Steer King

SKS12101


Steel Spiral King Pin Kit, K121A

Fitment: Alliance Axle P6073300019KZ

Qty Per Vehicle: 1

Cross References

Stemco: K121A



SKS13418

Steel Spiral King Pin Kit, K134R

Fitment: Axle MFS13B122CNN13

Qty Per Vehicle: 1

Cross References

Stemco: K134R

Meritor: R201631, R201612



SKS14505

Steel Spiral King Pin Kit, K154E

Fitment: Spicer/Dana/Eaton E Codes 10000#,

E10021/W, 12000# E12021/W, 13000# E13021

Qty Per Vehicle: 1

Cross References

Dana/Spicer/Eaton: 503700

Stemco: K145E



SKS20018

Steel Spiral King Pin Kit, K200R

Fitment: Rockwell/Meritor 600 Series 18000#

MFS-18133Ank; 600 Series 20000#

MFS-20133Ank

Qty Per Vehicle: 1

Cross References

Euclid: E14051C

Stemco: K200R

Meritor: R201482, R202054

Navistar: 2511545C1



SKS8123

Steel Spiral King Pin Kit, K81W

Fitment: SL8K W/WESTPORT AXLE

Qty Per Vehicle: 1

Cross References


Stemco: K81W

Watson Chalin: SRK115



Popular on Autocar Refuse Applications


King Pin Shims are now
available in 10 packs.




Shim Pack Part #	Fits	Kaiser Cross	OD	ID	Thickness	UPC Code
SP22313905	SKS10209, SKS10319	SPI-22	2.2	1.4	.005	751354042726
SP22313910	SKS10209, SKS10319	SP2-18	2.2	1.4	.010	751354042733
SP25015105	SKS7018, SKS8018, SKS94118		2.5	1.5	.005	751354042740
SP25015110	SKS7018, SKS8018, SKS94118	SP2-21	2.5	1.5	.010	751354042757
SP25018105	SKS12018, SKS98118		2.5	1.8	.005	751354042764
SP25018110	SKS12018, SKS98118	SP2-15	2.5	1.8	.010	751354042771
SP25018130	SKS12018, SKS98118		2.5	1.8	.030	751354042788
SP26216505	SKS12005	SPI-14	2.6	1.7	.005	751354042795
SP26216510	SKS12005	SP2-11	2.6	1.7	.010	751354042801
SP28118605	SKS12205, SKS12623, SKS12723, SKS93112, SKS96112, SKS0793118	SPI-2	2.8	1.9	.005	751354042818
SP28118610	SKS12205, SKS12623, SKS12723, SKS93112, SKS96112, SKS0793118	SP2-5	2.8	1.9	.010	751354042825
SP28118630	SKS12205, SKS12623, SKS12723, SKS93112, SKS96112, SKS0793118		2.8	1.9	.030	751354042832
SP30019005	SKS12008, SKS14605, SKS14705	SPI-24	3.0	1.9	.005	751354042849
SP30019010	SKS12008, SKS14605, SKS14705	SP2-20	3.0	1.9	.010	751354042856
SP30019030	SKS12008, SKS14605, SKS14705	SP3-31	3.0	1.9	.030	751354042863
SP32520305	SKS18005, SKS18018, SKS18118, SKS0893112	SPI-9	3.3	2.0	.005	751354042870
SP32520310	SKS18005, SKS18018, SKS18118, SKS0893112	SP2-7	3.3	2.0	.010	751354042887
SP32520330	SKS18005, SKS18018, SKS18118, SKS0893112	SP3-29	3.3	2.0	.030	751354042894
SP34926905	SKS53613		3.5	2.7	.005	751354042900
SP34926910	SKS53613		3.5	2.7	.010	751354042917
SP36021405	SKS12009		3.6	2.1	.005	751354042924
SP36021410	SKS12009	SP2-19	3.6	2.1	.010	751354042931
SP36021420	SKS12009		3.6	2.1	.020	751354042948

Two-Piece Torque Rods

Two Piece Torque Rods allow you to maintain a limited inventory with maximum flexibility. Match the male and female rods for lengths up to 27". The ultimate in convenience.



- ✓ Measure Center to Center Length of the Rod Eye
- ✓ Ruler on male end rods shows precise final cut point with no math needed
- ✓ Reduces mistakes and wasted inventory
- ✓ Only one weld



TR70010

Two Piece Torque Rod, Blank, Male and Female Ends

Contains:

- (1) Female End Torque Rod
- (1) Male End Torque Rod

*For use with ATRO 2-3/4" bushings ONLY
Bushings ordered separately*



TR90000

Two Piece Torque Rod, Blank, Small Eye, Male End

*For use with ATRO 2" bushings ONLY
Bushings ordered separately*



TR90005

Two Piece Torque Rod, Blank, Female End, Small Eye

*For use with ATRO 2" bushings ONLY
Bushings ordered separately*



TR90010

Two Piece Torque Rod, Blank, Small Eye, Male and Female Ends

Contains:

- (1) Female End Torque Rod
- (1) Male End Torque Rod

*For use with ATRO 2" bushings ONLY
Bushings ordered separately*



Chalmers Torque Rod Bushing Kits

KT19-22000

Torque Rod Bushing Kit


Contains:

- (16) PL1047 bushings

Qty per Suspension: 2

Cross References

Chalmers: 22128, 22128CS1



KT19-22002

Torque Rod Bushing Kit


Contains:

- (16) PL1046 bushings

Qty per Suspension: 2

Cross References

Chalmers: 800010, 800010CS1



KT19-22001

Torque Rod Bushing Kit

Contains:


- (32) PL1047 bushings

Qty per Suspension: 1

Cross References

Chalmers: 22128, 22128CS1

Kit will rebush complete truck



KT19-22003

Torque Rod Bushing Kit

Contains:


- (32) PL1046 bushings

Qty per Suspension: 1

Cross References

Chalmers: 800010, 800010CS1

Kit will rebush complete truck



EM46-69100-HT

Exhaust Mount (High Temp)

Height: 1.44"
ID: .397"
Large OD: 1.25"
Small OD: .95"

Cross References

Freightliner: CBA12 100



HM46-64021

Grill Mount

Misc Spec: 1/4" Threads

Cross References

Freightliner: 17-13021-000




HM46-64877

Hold Bumper

OD: 1.5"
Misc Spec: 3/8" Threads

Cross References

Freightliner: 17-13877-000



MM46-62222-HT

Exhaust Mount (High Temp)

Height: 1.6"
ID: .5"
Large OD: 2"
Small OD: 1.33"

Cross References

Freightliner: CB1122 2



MM46-62613-HT

Engine Mount Kit, Front (High Temp)

Contains:

- (1) MM46-62246-HT
- (1) MM46-62247-HT
- (2) MM62613-01 Inner Sleeve

Bolt: 3/4 hole, 4"c-c

Cross References

Freightliner: J21246 13




MM46-62650-HT

Engine Mount (High Temp)

Length: 5.25"
Width: 3.5"
Height: 2.15"
ID: 5/8"
Bolt Hole: 4.25" c-c
Qty per Vehicle: 2

Cross References

Freightliner: CBA24 650 50A




MS46-69123

Insulator, Sandwich Mount

OD: 1.5"
Misc Spec: 3/8" Threads

Cross References

Freightliner: J11729 123



RM46-63273

Radiator Mount

ID: .75"
OD: 1 7/8"

Cross References

Freightliner: LOR CB2202 73



TM46-63529-HT

Transmission Mount, Auxiliary (High Temp)

Height: 1.625"
ID: .928"
Large OD: 3.5"
Small OD: 2.22"

Cross References

Freightliner: CBC 35 2 9




TM46-63664-HT

Transmission Mount, Auxiliary (High Temp)

Height: .94"
ID: .532"
Large OD: 1.938"
Small OD: 1.33"

Cross References

Freightliner: J6256 64



Hendrickson

AK38300

Beam End Adapter Kit

Contains:

- (2) Adapter End Caps
- (1) Spacer Tube
- (1) Bolt
- (2) Flat Washers
- (1) Lock Nut


Bolt: 3/4-16UNF x 6 1/2", Grade 8, Hex Head

Large OD: 3 3/4

Qty per Suspension: 4

Cross References

Hendrickson: 45000-007L



Commonly used with ATRO #EB34000 on the following Hendrickson Walking Beam Suspensions:

Hendrickson Tandem Air Suspensions AR2-400/460

Hendrickson RT/RTE/340/380/400/440/460, RT2/RTE2 340/400/460

Hendrickson RU/RUE/U/UE/UE2 340

Hendrickson RS340/380/400/440/460

PB50-26118

Pivot Bushing

Height: 2.5"


ID: 1.5"

Large OD: 3.06"

Small OD: 2.27"

Cross References

Hendrickson: 010118



PB50-26391

Lift Axle Bushing Kit


Contains:

- (16) PB00-36314 Bushing
- (8) Inner Sleeves
- (4) Bolts 5"
- (4) Bolts 5.5"
- (8) Locknuts
- (16) Washers

Cross References

Hendrickson: R008839-1

Model: Typically on SC/SCT10K ADJ and SC/SCT13K ADJ axles



PB50-26392

Lift Axle Bushing Kit


Contains:

- (16) PB50-26118
- (8) Bolts 7.5"
- (16) Washers
- (8) Nuts
- (8) Sleeves

Cross References

Hendrickson: R008839-2

Model: Typically on SC/SCT20K Axles (Non-ADJ)



PB50-26393

Lift Axle Bushing Kit


Contains:

- (16) PB50-26118
- (4) Bolts 7.5"
- (4) Bolts 8.5"
- (16) Washers
- (8) Nuts
- (8) Sleeves

Cross References

Hendrickson: R008839-3

Model: Typically SC/SCT20K ADJ Axles



PB50-36654

Pivot Bushing Kit

Contains:

- (2) PB50-36001 Pivot Bushing w/Shear Bolt
- (2) MS50-26924 Concentric Collar
- (2) MS50-26925 Eccentric Collar
- (2) Wear Shim


Nuts and Washers Included

Qty per Axle: 1

Cross References

Hendrickson: S-28654

Model: Quick Align; Intraax; Vantraax; HT Series; HLM Series



Kenworth/Peterbilt (Paccar)

HL59-64027

Hood Latch Assembly

Length: 3 1/8" c-c

Qty per Vehicle: 2

Cross References

Kenworth: L56-1042

Model: T680

Paccar: L56-6027



TR75-41610

Torque Rod, Small Eye 24" c-c

Length: 24" c-c

Straddle: Bolt Holes = 4 3/8" C-C,
5/8" bolt hole

Qty per Vehicle: Typically 2

Cross References

Hendrickson: 62000-610

Paccar: C65-6028-000000610



Mack

MM62-63582-HT

Engine/Trans Mount Assy (High Temp)

ID 3/4"

Small OD: 2 1/2"

Large OD: 3 3/4"

Cross References

Mack: 20QL336, 25153582



Problem Solving Part

Fits Mack Trucks with ISL-G Engine (CNG) on the Mack MRU cabover chassis.

Scan QR code for more info or go to:

<https://atrobushing.com/documents/PA003-030122.pdf>



Volvo

SU96-29083

Wear Pad, Spring


Length: 3.05"

Width: 2.77"

Cross References

Volvo: 20703083

Model: Volvo VN and VT, Corporate Air Ride



SU96-29891

Spring Roller Assembly

Contains:

(1) SU96-29890

(1) Pin

(1) Cotter Pin


Qty per Axle: 2

Cross References

Mack: 10QK289M

Volvo: 8079890

Model: Volvo VN and VT, Corporate Air Ride



SU96-29890

Spring Roller

Length: 2.64"

ID: .83"


OD: 2.28"

Cross References

Mack: 10QK289M

Volvo: 8079890

Model: Volvo VN and VT, Corporate Air Ride



With ATRO behind you, drive forward.



ATRO

ENGINEERED SYSTEMS

Follow ATRO



800.325.6114 • www.ATRObushing.com

6 Bolte Lane • St. Clair, Missouri 63077 • U.S.A.

ATRO Engineered Systems, Inc. is not liable for any errors herein. All manufacturers' names and part numbers are used without permission; no endorsement, affiliation, or recommendation is implied. They are included for reference purposes only.

©JULY 2022 ATRO ENGINEERED SYSTEMS, INC.